



Bathroom Heater &  
Exhaust Fan Catalogue  
2025

 **MARTEC**<sup>®</sup>  
Heating

 **MARTEC**<sup>®</sup>  
Exhaust

## Enhance your living experience with Martec<sup>®</sup>

At Martec<sup>®</sup>, we have over six decades of experience in delivering top-quality cooling, heating, lighting, and exhaust solutions. Our commitment to providing innovative, stylish, and efficient products ensures that we cater to every need, design preference, and budget. With a wide selection of premium products, Martec<sup>®</sup> is dedicated to enhancing your bathroom experience with the perfect blend of comfort, style, and performance.

### Martec<sup>®</sup> Bathroom Heaters

Our Martec<sup>®</sup> Bathroom Heaters are available in a variety of shapes, sizes, and configurations to suit your needs. From single heat lamp units to the newly released **Essence** and **Striker**, as well as **Furnace 4-in-1 bathroom heater**, we provide a range of powerful and efficient heating options. These heaters are designed to deliver maximum comfort and warmth, and with IPX ratings and various colour finishes, they're guaranteed to complement any bathroom design.

In addition, we've launched our **Linux** models with advanced **DC motor** technology, offering quieter and more energy-efficient performance compared to traditional motors. This launch ensures your bathroom remains comfortably warm while minimizing noise and optimizing energy consumption.

### Martec<sup>®</sup> Exhaust Fans

Our Martec<sup>®</sup> Exhaust Fans come in a range of shapes and sizes to suit different bathroom designs, with multiple IPX ratings and tricolour LED light options available. Featuring high-performance ball bearing motors and superior blade design, our fans provide maximum air extraction while maintaining quiet operation. Every Martec<sup>®</sup> exhaust fan is supplied with a flex and plug, making installation simple and hassle-free. Keep your bathroom fresh and clean with our efficient and reliable exhaust solutions.

### Martec<sup>®</sup> Accessories

To complete your bathroom setup, Martec<sup>®</sup> offers a variety of accessories fully compatible with our heaters and exhaust fans. These accessories are designed to enhance the functionality and performance of your products, providing you with everything needed for a seamless and efficient bathroom experience.

For more details, and to explore our full range of products, visit us online at [martecaustralia.com.au](http://martecaustralia.com.au).

# CONTENTS

Scan to view  
the catalogue or  
download a copy.



## BATHROOM HEATERS

**NEW**  
3-IN-1 DC MOTOR



Linux DC p.10



Linux Mini DC p.12



Profile Panel DC p.14



Profile Plus DC p.16

## 3-IN-1 / 4-IN-1



Furnace p.20



Phoenix p.22



Phoenix Mini p.24



Aspire II p.26



Forme p.28



Striker p.30



Essence p.32



Contour p.34



Uno p.36

# CONTENTS

Scan to view  
the catalogue or  
download a copy.



## EXHAUST FANS



Flow 240 / 295 p.40



Flow 240 / 295 LED p.42



Saturn 240 / 295 p.44



Saturn 240 / 295 LED p.46

## NEW ACCESSORIES



Remote Control p.50



Heat Tube p.51



Lamps p.51



**NEW**

# DC MOTOR BATHROOM HEATERS

### Versatility in Design and Functionality

Martec® offers a range of bathroom heaters featuring advanced DC motor technology, enhancing energy efficiency and providing optimal performance while minimizing noise. Our heaters come in various shapes and sizes to suit diverse needs and preferences. From simple single heat lamp units to sleek, slimline 3-in-1 heaters, our products are designed to deliver efficient warmth and comfort in any bathroom.

With a variety of IPX ratings and colour finishes, Martec® heaters are versatile enough to complement any design style. Whether you're seeking a minimalist look or a more traditional aesthetic, Martec® has the perfect solution to seamlessly fit your bathroom.

---

Linux DC .....	10
Linux Mini DC .....	12
Profile Panel DC .....	14
Profile Plus DC .....	16

# LINUX DC



MBHLDC1000W  
Matt White

## ACCESSORIES



MRLP1000W  
1000W R7s  
Heat Tube 238mm



MBGU34506  
6W GU10  
LED Tricolour



MBHRKIT  
Bathroom Heater  
Remote Control

## FEATURES


- Sleek and low profile designed to suit any bathroom application
- High efficiency DC motor
- 3-in-1 bathroom heater features tricolour GU10 LED lamps with heat tube
- Steel housing with aluminium fascia
- Built in thermal overload protection
- Back draft stopper included
- Cut-out template included
- Compatible with Martec Bathroom Remote Control MBHRKIT (not included)

SPECIFICATIONS	LINUX DC
AIR EXTRACTION m <sup>3</sup> /hr	600m <sup>3</sup> /hr
EXHAUST FAN WATTAGE	40W
VOLTAGE / FREQUENCY	220-240Va.c. 50Hz
MATERIALS / HOUSING	Steel housing
CUTOUT SIZE	455 x 305mm
DECIBEL RATING	≤40dB
IP RATING	IPX2
HEATING WATTAGE / TYPE	1x 1000W R7s heat tube 238mm
LIGHTING WATTAGE / TYPE	4x 6W GU10 LED tricolour
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMENS OUTPUT	2400lm
MINIMUM CEILING DEPTH	210mm
DUCTING SIZE	150mm
ACCESSORIES INCLUDED	1x 3m duct 2x clips for ducting 1x external grille 1x 3 gang switch wall controller 1x heat tube 4x globes

ORDERING CODE	
MATT WHITE	MBHLDC1000W

ACCESSORIES	ORDERING CODE
1000W R7s Heat Tube 238mm	MRLP1000W
6W GU10 LED Tricolour Lamp	MBGU34506
Bathroom Heater Remote Control	MBHRKIT

## DIMENSIONS



# LINUX MINI DC



MBHMDC1000W  
Matt White

## ACCESSORIES



MRLP1000W  
1000W R7s  
Heat Tube 238mm



MBGU34506  
6W GU10  
LED Tricolour



MBHRKIT  
Bathroom Heater  
Remote Control

## FEATURES


- Sleek and low profile designed to suit small to medium bathroom application
- High efficiency DC motor
- 3-in-1 bathroom heater features tricolour GU10 LED lamps with heat tube
- Steel housing with aluminium fascia
- Built in thermal overload protection
- Back draft stopper included
- Cut-out template included
- Compatible with Martec Bathroom Remote Control MBHRKIT (not included)

SPECIFICATIONS	LINUX MINI DC
AIR EXTRACTION m <sup>3</sup> /hr	480m <sup>3</sup> /hr
EXHAUST FAN WATTAGE	40W
VOLTAGE / FREQUENCY	220-240Va.c. 50Hz
MATERIALS / HOUSING	Steel housing
CUTOUT SIZE	350 x 305mm
DECIBEL RATING	≤40dB
IP RATING	IPX2
HEATING WATTAGE / TYPE	1x 1000W R7s heat tube 238mm
LIGHTING WATTAGE / TYPE	3x 6W GU10 LED tricolour
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMENS OUTPUT	1800lm
MINIMUM CEILING DEPTH	220mm
DUCTING SIZE	125mm
ACCESSORIES INCLUDED	1x 3m duct 2x clips for ducting 1x external grille 1x 3 gang switch wall controller 1x heat tube 3x globes

ORDERING CODE	
MATT WHITE	MBHMDC1000W

ACCESSORIES	ORDERING CODE
1000W R7s Heat Tube 238mm	MRLP1000W
6W GU10 LED Tricolour Lamp	MBGU34506
Bathroom Heater Remote Control	MBHRKIT

## DIMENSIONS



# PROFILE PANEL DC



MBHN4LW  
Matt White

## COLOURS AND VARIANTS



MBHN2LW  
Matt White

## ACCESSORIES



MRL275W  
275W E27  
Heat Lamp



MBHRKIT  
Bathroom Heater  
Remote Control


## FEATURES

- Low profile design to suit any bathroom application
- High efficiency DC motor
- Polypropylene (PP) housing with polycarbonate (PC) fascia
- Built in thermal overload protection
- Back draft stopper included
- Half heat function (4 heat unit only)
- Cut-out template included
- Compatible with Martec Bathroom Remote Control MBHRKIT (not included)


SPECIFICATIONS	PROFILE PANEL DC 2	PROFILE PANEL DC 4
AIR EXTRACTION m <sup>3</sup> /hr		460m <sup>3</sup> /hr
EXHAUST FAN WATTAGE		40W
VOLTAGE / FREQUENCY		220-240Va.c. 50Hz
MATERIALS / HOUSING		Polypropylene housing
CUTOUT SIZE	435 x 255mm	435 x 275mm
DECIBEL RATING		≤50dB
IP RATING		IPX2
HEATING WATTAGE / TYPE	2 x 275W heat lamps	4 x 275W heat lamps
LIGHTING WATTAGE / TYPE		12W LED
COLOUR TEMPERATURE		3000K / 4000K / 5000K
LUMENS OUTPUT		850lm / 900lm / 950lm
MINIMUM CEILING DEPTH		220mm
DUCTING SIZE		120mm
ACCESSORIES INCLUDED	1x 3m duct 2x clips for ducting 1x external grille 1x 3 gang switch wall controller 2x heat lamps	1x 3m duct 2x clips for ducting 1x external grille 1x 4 gang switch wall controller 4x heat lamps
ORDERING CODE		
MATT WHITE	MBHN2LW	MBHN4LW
ACCESSORIES		ORDERING CODE
275W E27 Heat Lamp		MRL275W
Bathroom Heater Remote Control		MBHRKIT

## DIMENSIONS

MBHN2LW



MBHN4LW



# PROFILE PLUS DC



MBHP4LW  
Matt White

## COLOURS AND VARIANTS



MBHP2LW  
Matt White

## ACCESSORIES



MRL275W  
275W E27  
Heat Lamp



MBGU34506  
6W GU10  
LED Tricolour



MBHRKIT  
Bathroom Heater  
Remote Control

## FEATURES


- Low profile design to suit any bathroom application
- High efficiency DC motor
- Polypropylene (PP) housing with polycarbonate (PC) fascia
- Built in thermal overload protection
- Back draft stopper included
- Half heat function (4 heat unit only)
- Cut-out template included
- Compatible with Martec Bathroom Remote Control MBHRKIT (not included)

SPECIFICATIONS	PROFILE PLUS DC 2	PROFILE PLUS DC 4
AIR EXTRACTION m <sup>3</sup> /hr	460m <sup>3</sup> /hr	
EXHAUST FAN WATTAGE	40W	
VOLTAGE / FREQUENCY	220-240Va.c. 50Hz	
MATERIALS / HOUSING	Polypropylene housing	
CUTOUT SIZE	435 x 255mm	435 x 275mm
DECIBEL RATING	≤50dB	
IP RATING	IPX2	
HEATING WATTAGE / TYPE	2 x 275W heat lamps	4 x 275W heat lamps
LIGHTING WATTAGE / TYPE	3 x 6W GU10 LED tricolour	4 x 6W GU10 LED tricolour
COLOUR TEMPERATURE	3000K / 4000K / 5000K	3000K / 4000K / 5000K
LUMENS OUTPUT	1800lm	2400lm
MINIMUM CEILING DEPTH	220mm	
DUCTING SIZE	120mm	
ACCESSORIES INCLUDED	1x 3m duct 2x clips for ducting 1x external grille 1x 3 gang switch wall controller 2x heat lamps	1x 3m duct 2x clips for ducting 1x external grille 1x 4 gang switch wall controller 4x heat lamps
ORDERING CODE	MATT WHITE	MBHP2LW
		MBHP4LW


ACCESSORIES	ORDERING CODE
275W E27 Heat Lamp	MRL275W
6W GU10 LED Tricolour	MBGU34506
Bathroom Heater Remote Control	MBHRKIT

## DIMENSIONS

MBHP2LW



MBHP4LW





# BATHROOM HEATERS

## Versatility in Design and Functionality

Martec® offers a wide range of bathroom heaters, available in various shapes and sizes to suit different needs and preferences. From simple single heat lamp units to slim-line 3-in-1 heaters, our products are designed to deliver efficient warmth and comfort in any bathroom.

With a variety of IPX ratings and colour finishes, our heaters are versatile enough to complement any design scheme, whether you're looking for something sleek and modern or something more classic. Whatever your bathroom's size or aesthetic, Martec® has a solution that will fit seamlessly into your home.

---

Furnace .....	20
Phoenix.....	22
Phoenix Mini.....	24
Aspire II.....	26
Forme .....	28
Striker .....	30
Essence .....	32
Contour .....	34
Uno .....	36

# FURNACE




MBHF2200W  
Matt White

## FEATURES

- Sleek and low profile design to suit any bathroom application
- Polypropylene (PP) housing with polycarbonate (PC) fascia
- Features a dedicated 18W Tricolour LED panel light
- Built in thermal overload protection
- Back draft stopper included
- Cut-out template included

SPECIFICATIONS	FURNACE
AIR EXTRACTION m <sup>3</sup> /hr	360m <sup>3</sup> /hr
EXHAUST FAN WATTAGE	40W
VOLTAGE / FREQUENCY	220-240Va.c. 50Hz
MATERIALS / HOUSING	Polypropylene housing
CUTOUT SIZE	625 x 330mm
DECIBEL RATING	≤40dB
IP RATING	IPX4
HEATING WATTAGE / TYPE	2200W PTC
LIGHTING WATTAGE / TYPE	18W LED
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMENS OUTPUT	1080lm / 1190lm / 1140lm
MINIMUM CEILING DEPTH	200mm
DUCTING SIZE	100mm
ACCESSORIES INCLUDED	1x 1.5m duct 2x clips for ducting 1x external grille 1x 4 gang switch wall controller
ORDERING CODE	
MATT WHITE	MBHF2200W

## DIMENSIONS



# PHOENIX



High Performance Ball Bearing Motor



High Extraction



Slimline Fitting



Tricolour



Class I



MBHP1000W  
White



## COLOURS AND VARIANTS



MBHP1000M  
Matt Black

## ACCESSORIES



MRLP1000W  
1000W R7s  
Heat Tube 238mm



MBHRKIT  
Bathroom Heater  
Remote Control


## FEATURES

- Sleek and low profile design to suit any small to medium bathroom application
- Polypropylene (PP) housing with metal fascia
- Frosted white German high temperature Schott glass
- Built in thermal overload protection
- Back draft stopper included
- Cut-out template included
- Compatible with Martec Bathroom Remote Control MBHRKIT (not included)

SPECIFICATIONS	PHOENIX
AIR EXTRACTION m <sup>3</sup> /hr	500m <sup>3</sup> /hr
EXHAUST FAN WATTAGE	60W
VOLTAGE / FREQUENCY	220-240Va.c. 50Hz
MATERIALS / HOUSING	Polypropylene housing
CUTOUT SIZE	475 x 325mm
DECIBEL RATING	≤45dB
IP RATING	IPX2
HEATING WATTAGE / TYPE	1x 1000W R7s heat tube 238mm
LIGHTING WATTAGE / TYPE	20W LED
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMENS OUTPUT	1585lm / 1695lm / 1585lm
MINIMUM CEILING DEPTH	220mm
DUCTING SIZE	150mm
ACCESSORIES INCLUDED	1x 1.5m duct 2x clips for ducting 1x external grille 1x 3 gang switch wall controller 1x heat tube
ORDERING CODE	
WHITE	MBHP1000W
MATT BLACK	MBHP1000M

ACCESSORIES	ORDERING CODE
1000W R7s Heat Tube 238mm	MRLP1000W
Bathroom Heater Remote Control	MBHRKIT

## DIMENSIONS



# PHOENIX MINI



MBHPM1000W  
White



## COLOURS AND VARIANTS



MBHPM1000M  
Matt Black

## ACCESSORIES



MRLP1000W  
1000W R7s  
Heat Tube 238mm



MBHRKIT  
Bathroom Heater  
Remote Control


## FEATURES

- Sleek and low profile designed to suit any small to medium bathroom application
- 3-in-1 bathroom heater features tricolour LED panel with heat tube
- Polypropylene (PP) housing with metal fascia
- Frosted white German high temperature Schott glass
- Built in thermal overload protection
- Back draft stopper included
- Cut-out template included
- Compatible with Martec Bathroom Remote Control MBHRKIT (not included)


SPECIFICATIONS	PHOENIX MINI
AIR EXTRACTION m³/hr	420m³/hr
EXHAUST FAN WATTAGE	60W
VOLTAGE / FREQUENCY	220-240Va.c. 50Hz
MATERIALS / HOUSING	Polypropylene housing
CUTOUT SIZE	390 x 325mm
DECIBEL RATING	≤40dB
IP RATING	IPX2
HEATING WATTAGE / TYPE	1x 1000W R7s heat tube 238mm
LIGHTING WATTAGE / TYPE	10W LED
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMENS OUTPUT	750lm / 800lm / 750lm
MINIMUM CEILING DEPTH	220mm
DUCTING SIZE	125mm
ACCESSORIES INCLUDED	1x 1.5m duct 2x clips for ducting 1x external grille 1x 3 gang switch wall controller 1x heat tube
ORDERING CODE	
WHITE	MBHPM1000W
MATT BLACK	MBHPM1000M

ACCESSORIES	ORDERING CODE
1000W R7s Heat Tube 238mm	MRLP1000W
Bathroom Heater Remote Control	MBHRKIT

## DIMENSIONS



# ASPIRE II



MBHA1000W  
White



## ACCESSORIES




SPECIFICATIONS	ASPIRE II
AIR EXTRACTION m <sup>3</sup> /hr	500m <sup>3</sup> /hr
EXHAUST FAN WATTAGE	60W
VOLTAGE / FREQUENCY	220-240Va.c. 50Hz
MATERIALS / HOUSING	Polypropylene housing
CUTOUT SIZE	475 x 325mm
DECIBEL RATING	≤45dB
IP RATING	IPX2
HEATING WATTAGE / TYPE	1x 1000W R7s heat tube 238mm
LIGHTING WATTAGE / TYPE	20W LED
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMENS OUTPUT	2400lm
MINIMUM CEILING DEPTH	220mm
DUCTING SIZE	150mm
ACCESSORIES INCLUDED	1x 1.5m duct 2x clips for ducting 1x external grille 1x 3 gang switch wall controller 1x heat tube
ORDERING CODE	
WHITE	MBHA1000W

ACCESSORIES	ORDERING CODE
1000W R7s Heat Tube 238mm	MRLP1000W
Bathroom Heater Remote Control	MBHRKIT

## FEATURES

- Sleek and low profile design to suit any small to medium bathroom application
- Polypropylene housing with aluminium housing fascia
- Frosted white German high temperature Schott glass
- Built in thermal overload protection
- Back draft stopper included
- Cut-out template included
- Compatible with Martec Bathroom Remote Control MBHRKIT (not included)

## DIMENSIONS



# FORME



High Performance Ball Bearing Motor



High Extraction



Ultra Low Profile



Tricolour



Class I



MBHF4LW  
Matt White

## COLOURS AND VARIANTS



MBHF2LW  
Matt White

## ACCESSORIES



MRL275W  
275W E27  
Heat Lamp



MBHRKIT  
Bathroom Heater  
Remote Control

## FEATURES


- Low profile design to suit any small to medium bathroom application
- Polypropylene (PP) housing with polycarbonate (PC) fascia
- Built in thermal overload protection
- Back draft stopper included
- Half heat function (4 heat unit only)
- Cut-out template included
- Compatible with Martec Bathroom Remote Control MBHRKIT (not included)

SPECIFICATIONS	FORME 2	FORME 4
AIR EXTRACTION m <sup>3</sup> /hr		420m <sup>3</sup> /hr
EXHAUST FAN WATTAGE		45W
VOLTAGE / FREQUENCY		220-240Va.c. 50Hz
MATERIALS / HOUSING		Polypropylene housing
CUTOUT SIZE	375 x 202mm	320 x 320mm
DECIBEL RATING		≤40dB
IP RATING		IPX4
HEATING WATTAGE / TYPE	2 x 275W heat lamps	4 x 275W heat lamps
LIGHTING WATTAGE / TYPE		10W LED
COLOUR TEMPERATURE		3000K / 4000K / 5000K
LUMENS OUTPUT		600lm / 725lm / 700lm
MINIMUM CEILING DEPTH		200mm
DUCTING SIZE		125mm
ACCESSORIES INCLUDED	1x 1.5m duct 2x clips for ducting 1x external grille 1x 3 gang switch wall controller 2x heat lamps	1x 1.5m duct 2x clips for ducting 1x external grille 1x 4 gang switch wall controller 4x heat lamps
ORDERING CODE		
MATT WHITE	MBHF2LW	MBHF4LW


ACCESSORIES	ORDERING CODE
275W E27 Heat Lamp	MRL275W
Bathroom Heater Remote Control	MBHRKIT

## DIMENSIONS

MBHF2LW



MBHF4LW



# STRIKER



High Performance Ball Bearing Motor



High Extraction



Ultra Low Profile



Tricolour



Class I



**MBHS4LW**  
Matt White

## COLOURS AND VARIANTS



**MBHS2LW**  
Matt White

## ACCESSORIES



**MRL275W**  
275W E27 Heat Lamp



**MRL345R80**  
12W R80 LED Tricolour



**MBHRKIT**  
Bathroom Heater Remote Control

## FEATURES


- Low profile design to suit any small to medium bathroom application
- Polypropylene (PP) housing with polycarbonate (PC) fascia
- Built in thermal overload protection
- Back draft stopper included
- Half heat function (4 heat unit only)
- Cut-out template included
- Compatible with Martec Bathroom Remote Control MBHRKIT (not included)

SPECIFICATIONS	STRIKER 2	STRIKER 4
AIR EXTRACTION m <sup>3</sup> /hr	360m <sup>3</sup> /hr	
EXHAUST FAN WATTAGE	35W	
VOLTAGE / FREQUENCY	220-240Va.c. 50Hz	
MATERIALS / HOUSING	Polypropylene housing	
CUTOUT SIZE	375 x 202mm	320 x 320mm
DECIBEL RATING	≤40dB	
IP RATING	IPX4	
HEATING WATTAGE / TYPE	2 x 275W heat lamps	4 x 275W heat lamps
LIGHTING WATTAGE / TYPE	12W R80 LED tricolour	
COLOUR TEMPERATURE	3000K / 4000K / 5000K	
LUMENS OUTPUT	1100lm / 1200lm / 1100lm	
MINIMUM CEILING DEPTH	200mm	
DUCTING SIZE	125mm	
ACCESSORIES INCLUDED	1x 1.5m duct 2x clips for ducting 1x external grille 1x 3 gang switch wall controller 2x heat lamps 1x Tricolour R80 LED lamp	2x 1.5m duct 2x clips for ducting 1x external grille 1x 3 gang switch wall controller 4x heat lamps 1x Tricolour R80 LED lamp
ORDERING CODE	MBHS2LW	MBHS4LW


ACCESSORIES	ORDERING CODE
275W E27 Heat Lamp	MRL275W
12W R80 LED Tricolour Lamp	MRL345R80
Bathroom Heater Remote Control	MBHRKIT

## DIMENSIONS

MBHS2LW



MBHS4LW



# ESSENCE



1 YEAR  
Replacement  
Warranty



IPX4  
Ingress  
Protection



Heat Lamp



High  
Extraction



Ultra Low  
Profile



Class II



MBHE4LW  
Matt White

## COLOURS AND VARIANTS



MBHE2LW  
Matt White

## ACCESSORIES



MRL275W  
275W E27  
Heat Lamp



MRL4KR63  
9W R63  
LED 4000K



MBHRKIT  
Bathroom Heater  
Remote Control

## FEATURES


- Low profile design to suit any small to medium bathroom application
- Polypropylene (PP) housing with polycarbonate (PC) fascia
- Half heat function (4 heat unit only)
- Built in thermal overload protection
- Back draft stopper included
- Cut-out template included
- Compatible with Martec Bathroom Remote Control MBHRKIT (not included)

SPECIFICATIONS	ESSENCE 2	ESSENCE 4
AIR EXTRACTION m <sup>3</sup> /hr	300m <sup>3</sup> /hr	
EXHAUST FAN WATTAGE	35W	
VOLTAGE / FREQUENCY	220-240Va.c. 50Hz	
MATERIALS / HOUSING	Polypropylene housing	
CUTOUT SIZE	375 x 202mm	320 x 320mm
DECIBEL RATING	≤40dB	
IP RATING	IPX4	
HEATING WATTAGE / TYPE	2 x 275W heat lamps	4 x 275W heat lamps
LIGHTING WATTAGE / TYPE	9W R63 LED	
COLOUR TEMPERATURE	4000K	
LUMENS OUTPUT	900lm	
MINIMUM CEILING DEPTH	200mm	
DUCTING SIZE	125mm	
ACCESSORIES INCLUDED	1x 1m duct 2x clips for ducting 1x external grille 1x 3 gang switch wall controller 2x heat lamps 1x 4000K R63 LED lamp	2x 1m duct 2x clips for ducting 1x external grille 1x 4 gang switch wall controller 4x heat lamps 1x 4000K R63 LED lamp
ORDERING CODE	MBHE2LW	MBHE4LW


ACCESSORIES	ORDERING CODE
275W E27 Heat Lamp	MRL275W
9W R63 LED 4000K Lamp	MRL4KR63
Bathroom Heater Remote Control	MBHRKIT

## DIMENSIONS

MBHE2LW



MBHE4LW



# CONTOUR



MBHC4LW\*  
White

## COLOURS AND VARIANTS



MBHC1LW\*\*  
White



MBHC2LW\*  
White

## ACCESSORIES



MRL275W  
275W E27  
Heat Lamp



MRL3K8W  
8W 3000k  
LED R80 Lamp



MBHRKIT  
Bathroom Heater Remote  
Control (excludes Contour 1)

## FEATURES


- Modern design to suit any small to medium bathroom application
  - Polypropylene (PP) housing with polycarbonate (PC) fascia
  - Built in thermal overload protection
  - Back draft stopper included
  - Half heat function (4 heat unit only)
  - Cut-out template included
  - Compatible with Martec Bathroom Remote Control MBHRKIT (not included) (excludes Contour 1)
- \*2 Year In-Home Warranty (MBHC2LW & MBHC4LW)  
\*\* 1 Year Replacement Warranty (MBHC1LW)

SPECIFICATIONS	CONTOUR 1	CONTOUR 2	CONTOUR 4	
AIR EXTRACTION m <sup>3</sup> /hr	-	240m <sup>3</sup> /hr	250m <sup>3</sup> /hr	
EXHAUST FAN WATTAGE	-	25W	25W	
VOLTAGE / FREQUENCY	220-240Va.c. 50Hz			
MATERIALS / HOUSING	Polypropylene housing			
CUTOUT SIZE	166 x 166mm	390 x 220mm	300 x 300mm	
DECIBEL RATING	≤40dB			
IP RATING	IPX4			
HEATING WATTAGE / TYPE	1 x 275W heat lamps	2 x 275W heat lamps	4 x 275W heat lamps	
LIGHTING WATTAGE / TYPE	-	8W R80 E27 LED	8W R80 E27 LED	
COLOUR TEMPERATURE	-	3000K	3000K	
LUMENS OUTPUT	-	800lm	800lm	
MINIMUM CEILING DEPTH	220mm			
DUCTING SIZE	-	100mm	100mm	
ACCESSORIES INCLUDED	1x external grille Single switch wall controller 1x heat lamp	1x 1.5m duct 2x clips for ducting 1x external grille 1x 3 gang switch wall controller 2x heat lamps	1x 1.5m duct 2x clips for ducting 1x external grille 1x 4 gang switch wall controller 4x heat lamps	
ORDERING CODE	WHITE	MBHC1LW**	MBHC2LW*	MBHC4LW*


ACCESSORIES	ORDERING CODE
275W E27 Heat Lamp	MRL275W
8W 3000K LED R80 Lamp	MRL3K8W
Bathroom Heater Remote Control (excludes Contour 1)	MBHRKIT

## DIMENSIONS


MBHC1LW\*\*



MBHC2LW\*



MBHC4LW\*





1 YEAR  
Replacement  
Warranty



IPX4  
Ingress  
Protection



Heat Lamp



Slimline  
Fitting



Class I




MBHU1LW  
Matt White

## ACCESSORIES



MRL275W  
275W E27  
Heat Lamp

## DIMENSIONS



SPECIFICATIONS	UNO
AIR EXTRACTION m <sup>3</sup> /hr	N/A
EXHAUST FAN WATTAGE	275W
VOLTAGE / FREQUENCY	220-240Va.c. 50Hz
MATERIALS / HOUSING	Aluminium housing
CUTOUT SIZE	Dia 145mm
DECIBEL RATING	N/A
IP RATING	IPX4
HEATING WATTAGE / TYPE	1x 275W heat lamp
LIGHTING WATTAGE / TYPE	1x 275W heat lamp
COLOUR TEMPERATURE	2700K
LUMENS OUTPUT	1200lm
MINIMUM CEILING DEPTH	300mm
ACCESSORIES INCLUDED	1x heat lamp
ORDERING CODE	
MATT WHITE	MBHU1LW

ACCESSORIES	ORDERING CODE
275W E27 Heat Lamp	MRL275W

## FEATURES

- Slimline profile ideal for installation in ensuites and small bathrooms
- Provides powerful instant heating
- Aluminium housing with metal fascia trim
- Non dimmable

# IPX RATING

IPX stands for **Ingress Protection**. The “X” simply means that the value for that number is missing. Therefore, the product has no protection against solids like dust and dirt.



## WATER



0

No protection.



1

Protected against condensation or dripping water falling vertically.



2

Protected against spraying water when tilted up to 15 degrees vertically.




3

Protected against spraying water when tilted up to 60 degrees vertically.




4

Protected against splashing water from any angle.




5

Protected against low pressure water stream from any angle.




6

Protected against high pressure water stream from any angle.



7

Protected against water immersion. Immersion for 30 minutes at a depth of up to 1 meter.



8

Protected against continual water submersion in under water conditions.



# EXHAUST FANS

## Powerful Performance with Sleek Design

Martec® offers a diverse range of exhaust fans, available in various shapes and sizes to suit any bathroom or space. With different IPX ratings and tricolour LED light options, our fans are designed to meet both functional and aesthetic needs.

Powered by high-performance ball bearing motors and featuring a superior blade design, Martec® exhaust fans deliver maximum air extraction while ensuring quiet operation. To make installation even easier, all our exhaust fans come with a flex and plug, providing a simple and hassle-free setup.

---

Flow 240 / 295 .....	40
Flow 240 / 295 LED .....	42
Saturn 240 / 295 .....	44
Saturn 240 / 295 LED .....	46

# FLOW 240 / 295 EXHAUST FAN



Replacement  
Warranty



Ingress  
Protection



Ultra Low  
Profile



Class II



MXFFR25W  
Matt White

## COLOURS AND VARIANTS



MXFFR30W  
Matt White



MXFFS25W  
Matt White



MXFFS30W  
Matt White


SPECIFICATIONS	ROUND 240	ROUND 295	SQUARE 240	SQUARE 295
AIR EXTRACTION m <sup>3</sup> /hr	390m <sup>3</sup> /hr	600m <sup>3</sup> /hr	390m <sup>3</sup> /hr	600m <sup>3</sup> /hr
EXHAUST FAN WATTAGE	45W	60W	45W	60W
VOLTAGE / FREQUENCY	220-240Va.c. 50Hz			
MATERIALS / HOUSING	Polypropylene housing			
CUTOUT SIZE	Dia 240mm	Dia 295mm	Dia 240mm	Dia 295mm
DECIBEL RATING	≤40dB			
IP RATING	IPX2			
LIGHTING WATTAGE / TYPE	-			
COLOUR TEMPERATURE	-			
LUMENS OUTPUT	-			
MINIMUM CEILING DEPTH	210mm	240mm	210mm	240mm
DUCTING SIZE	125mm	150mm	125mm	150mm
ACCESSORIES INCLUDED	900mm flex & plug x 1pc			
ORDERING CODE				
MATT WHITE	MXFFR25W	MXFFR30W	MXFFS25W	MXFFS30W

## FEATURES


- Low profile design ideal for installation in bathroom, laundry and any residential and apartments applications
- Swivel quick mount base for easy installation
- Polypropylene housing with ABS fascia
- Built in thermal overload protection
- Side ducting access with draft stopper included
- Round cutout ducting pipe for easy installation

## DIMENSIONS

MXFFR25W  
MXFFS25W



MXFFR30W  
MXFFS30W



# FLOW 240 / 295 EXHAUST FAN LED

2  
YEAR

Replacement  
Warranty

IPX2

Ingress  
Protection

Ultra Low  
Profile

3000K 4000K 5000K

Tricolour

Class II



MXFLFR25W  
Matt White

## COLOURS AND VARIANTS



MXFLFR30W  
Matt White



MXFLFS25W  
Matt White



MXFLFS30W  
Matt White


SPECIFICATIONS	ROUND 240	ROUND 295	SQUARE 240	SQUARE 295
AIR EXTRACTION m <sup>3</sup> /hr	390m <sup>3</sup> /hr	600m <sup>3</sup> /hr	390m <sup>3</sup> /hr	600m <sup>3</sup> /hr
EXHAUST FAN WATTAGE	45W	72W	45W	72W
VOLTAGE / FREQUENCY	220-240Va.c. 50Hz			
MATERIALS / HOUSING	Polypropylene housing			
CUTOUT SIZE	Dia 240mm	Dia 295mm	Dia 240mm	Dia 295mm
DECIBEL RATING	≤40dB			
IP RATING	IPX2			
LIGHTING WATTAGE / TYPE	12W LED tricolour			
COLOUR TEMPERATURE	3000K / 4000K / 5000K			
LUMENS OUTPUT	950lm / 1000lm / 950lm			
MINIMUM CEILING DEPTH	210mm	240mm	210mm	240mm
DUCTING SIZE	125mm	150mm	125mm	150mm
ACCESSORIES INCLUDED	900mm flex & plug x 2pc			
ORDERING CODE	ROUND 240	ROUND 295	SQUARE 240	SQUARE 295
MATT WHITE	MXFLFR25W	MXFLFR30W	MXFLFS25W	MXFLFS30W

## FEATURES


- Low profile design ideal for installation in bathroom, laundry and any residential and apartments applications
- Swivel quick mount base for easy installation
- Polypropylene housing with ABS fascia
- Built in thermal overload protection
- Side ducting access with draft stopper included
- Round cutout ducting pipe for easy installation

## DIMENSIONS

MXFLFR25W  
MXFLFS25W



MXFLFR30W  
MXFLFS30W



# SATURN 240 / 295 EXHAUST FAN



Replacement  
Warranty



Ingress  
Protection



Ultra Low  
Profile



Class I



MXFSR20W  
Matt White

## COLOURS AND VARIANTS



MXFSR25W  
Matt White



MXFSS20W  
Matt White







MXFSS25W  
Matt White

## FEATURES

- Low profile design ideal for installation in bathroom, laundry and any residential and apartments applications
- Polypropylene (PP) housing with white fascia plate
- Easy installation clamps to fit and secure fan into ceiling
- High velocity exhaust fan with back draft stopper
- Round cutout ducting pipe for easy installation

SPECIFICATIONS	ROUND 240	ROUND 295	SQUARE 240	SQUARE 295
AIR EXTRACTION m <sup>3</sup> /hr	320m <sup>3</sup> /hr	443m <sup>3</sup> /hr	320m <sup>3</sup> /hr	443m <sup>3</sup> /hr
EXHAUST FAN WATTAGE	25W	28W	25W	28W
VOLTAGE / FREQUENCY	220-240Va.c. 50Hz			
MATERIALS / HOUSING	Polypropylene housing			
CUTOUT SIZE	Dia 240mm	Dia 295mm	Dia 240mm	Dia 295mm
DECIBEL RATING	≤45dB			
IP RATING	IPX4			
LIGHTING WATTAGE / TYPE	-			
COLOUR TEMPERATURE	-			
LUMENS OUTPUT	-			
MINIMUM CEILING DEPTH	220mm			
DUCTING SIZE	100mm	150mm	100mm	150mm
ACCESSORIES INCLUDED	900mm flex & plug x 1pc			
ORDERING CODE	ROUND 240	ROUND 295	SQUARE 240	SQUARE 295
MATT WHITE	MXFSR20W	MXFSR25W	MXFSS20W	MXFSS25W

## DIMENSIONS



# SATURN 240 / 295 EXHAUST FAN LED



Replacement  
Warranty



Ingress  
Protection



Ultra Low  
Profile



Tricolour



Class I



MXFSLR20W  
Matt White

## COLOURS AND VARIANTS



MXFSLR25W  
Matt White


## FEATURES

- Low profile design ideal for installation in bathroom, laundry and any residential and apartments applications
- Polypropylene (PP) housing with white fascia plate
- Easy installation clamps to fit and secure fan into ceiling
- High velocity exhaust fan with back draft stopper
- Round cutout ducting pipe for easy installation


SPECIFICATIONS	ROUND 240	ROUND 295
AIR EXTRACTION m <sup>3</sup> /hr	320m <sup>3</sup> /hr	443m <sup>3</sup> /hr
EXHAUST FAN WATTAGE	25W	45W
VOLTAGE / FREQUENCY	220-240Va.c. 50Hz	
MATERIALS / HOUSING	Polypropylene housing	
CUTOUT SIZE	Dia 240mm	Dia 295mm
DECIBEL RATING	≤45dB	
IP RATING	IPX4	
LIGHTING WATTAGE / TYPE	17W LED tricolour	
COLOUR TEMPERATURE	3000K / 4000K / 5000K	
LUMENS OUTPUT	1200lm / 1400lm / 1200lm	900lm / 1050lm / 900lm
MINIMUM CEILING DEPTH	220mm	
DUCTING SIZE	100mm	150mm
ACCESSORIES INCLUDED	900mm flex & plug x 2pc	
ORDERING CODE		
MATT WHITE	MXFSLR20W	MXFSLR25W

## DIMENSIONS

MXFSLR20W



MXFSLR25W





**NEW**

## HEATING ACCESSORIES

Perfectly Complementing Our Bathroom Heaters

Martec® provides a selection of accessories that are fully compatible with our bathroom heaters, ensuring a seamless and enhanced experience.

Explore our range of accessories today on our website: [martecaustralia.com.au](http://martecaustralia.com.au)

---

Remote Control .....	50
Lamps .....	51

# REMOTE CONTROL



## BATHROOM HEATER REMOTE CONTROL

### FEATURES

- 1 year in-home warranty\*
- Easy to use with touch bottoms
- Frequency range up to 30m
- Power capacity up to 2200W
- 5, 10, 25 minutes run timer
- Compatible with Martec® bathroom heaters
- Supplied with 9 volt battery
- Full or half heat function on 4 heat unit only
- Overheat protection

\*Only apply to Martec® Bathroom Heater and installed at the same time.

### ORDERING CODE

MBHRKIT

# LAMPS



MRLP1000W



MBGU34506



MRL345R80



MRL4KR63



MRL3K8W



MRL275W

ORDERING CODE	DESCRIPTION
MRLP1000W	1000W R7s heat tube 238mm (Linux DC & Linux Mini DC, Phoenix & Phoenix Mini, Aspire II)
MBGU34506	6W GU10 LED tricolour lamp
MRL345R80	12W R80 LED tricolour lamp
MRL4KR63	9W R63 LED 4000K lamp
MRL3K8W	8W R80 LED 3000K lamp
MRL275W	275W E27 heat lamp

# BATHROOM HEATER & EXHAUST FAN CALCULATOR

Note: This calculator is a guide only. It does not constitute specific advice from the Martec® team. You should always check your local building codes and requirements before having a new bathroom heater and exhaust fan installed.



This calculator can be accessed via our website <https://www.martecaustralia.com.au/exhaust-fan-calculator/>

## STEP 1:

Select installation location

Step 1: Select Installation Location

Bathroom  
 Laundry  
 Utility Room

Your room size in m3	From (m3/hr)	To (m3/hr)
0.00 m3	0.00 m3/hr	0.00 m3/hr

## STEP 2:

Enter your room size

Step 1: Select Installation Location

Bathroom

Enter your room width (m)	Enter your room length (m)	Enter your room height (m)
3	4	2.4

Your room size in m3	From (m3/hr)	To (m3/hr)
29 m3	432 m3	576 m3

## STEP 3:

Product suggestions based on your room size entered



## WARRANTY GUIDE



**BATHROOM HEATER**  
3-IN-1 / 4-IN-1

2 Year In-home  
warranty



**EXHAUST FAN &  
EXHAUST FAN LED**

2 Year Replacement  
warranty



**REMOTE CONTROL**

1 Year In-home  
warranty

**NB: Essence, Contour 1 and Uno have 1 Year Replacement Warranty.**


# We do more than you think




**MARTEC**  
Cooling




**MARTEC**  
Lighting



**MARTEC**  
Heating



**MARTEC**  
Exhaust



Martec® is committed to ongoing development and enhancement of its products. Consequently, all descriptions, illustrations, drawings, and specifications presented in this publication are intended as general information and do not form part of any contractual agreement. The figures related to air movements are indicative and should be considered as approximate values. All measurements are provided in millimetres unless stated otherwise. Please note that specifications and imagery are subject to change without prior notice. This information was last updated in April 2025.



6 Austool Place Ingleburn NSW 2565  
(02) 8778 7500  
[sales@martec Ltd.com.au](mailto:sales@martec Ltd.com.au)

Opening Hours (Mon-Fri):  
Warehouse: 7:30am – 3:30pm  
Office: 8:00am – 4:00pm

[www.martecaustralia.com.au](http://www.martecaustralia.com.au)

