MARTEC® Cooling

2026/2027
Fan Catalogue




“Hey...Turn on the fan”
MARTEC smart
works with alexa
works with Google Home
Control your Martec Smart DC Fans with,
Martec Smart App, Alexa or Google Home™



MARTEC® Cooling

Martec® Cooling offers a comprehensive selection of ceiling fans and accessories tailored to meet diverse cooling needs and enhance any space.

Our Smart DC ceiling fans feature a variety of colours and sizes, alongside advanced features such as 6-stage changeable colour temperature and variable dimming for models with LED lights. Equipped with WiFi remote controls featuring 8 speed settings, including unique comfort sleep and breeze modes, these fans ensure optimal comfort throughout the night.

Martec DC and AC ceiling fans, celebrated for their energy efficiency and quiet operation. Available in various sizes and colors, light-equipped models feature adjustable colour temperatures with an exclusive 3-step dimming option on AC models.

With an array of accessories including lights, downrods, and remote controls featuring timers, Martec Cooling provides solutions to suit every lifestyle, delivering both functionality and style to any space.

The Martec Promise


At Martec, we are driven by a deep commitment to quality, innovation, and service excellence. Every product reflects our meticulous attention to detail and passion for delivering solutions that exceed expectations.

We don't just create fans.
We deliver comfort, convenience, and peace of mind.


MARTEC STANDARD

Key Features

Applies to all Smart DC Ceiling Fans



Stronger mounting bracket



Thicker rod
(26mm)

Magnetic
screw cover

Efficient
DC Motor



Supports
Martec Smart App,
Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

6 stage CCT
(2700K - 6000K)
with variable dimming

8 speed settings
(6 fan speed + sleep + breeze mode)

Control via Wifi Remote
or Wall Control Kit




PRODUCT HIGHLIGHTS



Quantum DC
pg. 35

PATENTED FAST FIX BLADES

Our patented Fast Fix Technology DC ceiling fans, built with durable ABS construction and innovative fast-fix blades—designed not only to deliver superior comfort during the hottest summer months, but also to make installation quicker and easier than ever.



BLADELESS FANS



Fantom DC
pg. 16

Bladeless Fan redefines indoor airflow with a modern design that blends effortlessly into any space.

Unlike traditional fans, our bladeless design uses innovative air technology to deliver smooth, uninterrupted airflow without exposed fast-spinning blades.

WALL FANS

Featuring a powerful and efficient DC/AC motor, sleek modern design for indoor use, and robust ABS blades with a steel mounting bracket.

They offer multiple speed settings with oscillation for improved air circulation, manual vertical tilt adjustment, and come supplied with a remote control.



Avalon DC
pg. 41

NEW PRODUCT

RETRACTABLE BLADES

Our new ceiling fans with retractable blades combine modern style and space-saving design.

When off, blades tuck away, turning the fixture into a minimalist light piece that clears your ceiling



Blades are hidden for a minimal look

Wraptec DC
pg. 33

CONTENTS

SMART DC CEILING FANS


Alpine DC
pg. 10


Albatross II DC
pg. 11


Avoca DC
pg. 12


Catalina DC
pg. 13


Elite DC
pg. 14


Esprit DC
pg. 15


Fantom DC
pg. 16


Fresno DC
pg. 17


Hampton DC
pg. 18


Impact DC
pg. 19


Kingston DC
pg. 20


Metro DC
pg. 21


Newport DC
pg. 22


Osprey DC
pg. 23


Seaforth DC
pg. 24


Triumph DC
pg. 25


Viper DC 3
pg. 26


Viper DC 4
pg. 27

NEW PRODUCTS


Bravo DC
pg. 28


Collaroy DC
pg. 29


Outlander DC IP66
pg. 30


Wrapster DC
pg. 31


WrapX DC
pg. 32


Wraptec DC
pg. 33

DC CEILING FANS



Quantum DC
pg. 35



Proton DC
pg. 36



Zorro DC
pg. 37



Legend DC
pg. 38



Summit DC IP65
pg. 39

WALL FANS



Avalon DC
pg. 41



Como
pg. 42

AC CEILING FANS



Discovery II
pg. 44



Link
pg.45



Lifestyle
pg. 46



Precision
pg. 47

ACCESSORIES



Remote / Wall Control
pg. 49



Downrod
pg. 49



45° Angle Canopy
pg. 49

Scan to view the catalogue or download a copy

MARTEC® Cooling



Smart DC Ceiling Fans

Take full control your way, every time. Our Smart WiFi ceiling fans are designed for seamless, simultaneous control across all platforms so you're never limited to just one option. Each model comes complete with a remote control, offers an optional wall control, and connects effortlessly to the Martec Smart app for convenient operation from your phone.

Prefer hands-free? Simply use voice commands via Alexa or Google Home. However you choose, all 3 modes of operation can will work alone or all together.



MARTEC smart | works with alexa | works with Google Home

ALPINE DC

- 6 Year Warranty*
- 33W DC Motor
- WiFi Connectivity
- Australian Design Registered
- ABS Blades
- Indoor & Covered Outdoor Use*
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 20W LED Variable Dimming



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Max Airflow up to **14,200m³/hr**

FAN ONLY



Matt White
MDCA133W



Matt Black/Walnut
MDCA133MW



Pewter/Charcoal
MDCA133PCH

FAN LED LIGHT




Matt White
MDCA1333W



Matt Black/Walnut
MDCA1333MW



Pewter/Charcoal
MDCA1333PCH




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	33W
BLADE DIAMETER	1320mm (52")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	14,200m³/hr
SPEED 5	11,818m³/hr
SPEED 4	9,478m³/hr
SPEED 3	8,260m³/hr
SPEED 2	6,576m³/hr
SPEED 1 (LOWEST)	5,242m³/hr
BLADE PITCH	13°

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	24W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 2160lm
RATED LIFETIME	30,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

*Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

ALBATROSS II DC



- 6 Year Warranty*
- 55W DC Motor
- WiFi Connectivity
- Steel Body & Canopy
- Aluminium Blades
- Indoor & Covered Outdoor Use*
- Summer/Winter Reverse Function
- 3 Colour CCT
- 8 Speed Remote & Timer
- 32W LED Variable Dimming
- Supplied with 2 downrods

Max Airflow up to
1650mm: **15,600m³/hr**
1830mm: **17,650m³/hr**
2130mm: **20,200m³/hr**



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Supplied with **2 Downrods** (160mm and 220mm)

MOTOR



Matt White
MDCAW



Matt Black
MDCAM



Brushed Nickel
MDCAB

BLADES



Matt White
1650mm: MDCAB160W
1830mm: MDCAB180W
2130mm: MDCAB210W



Matt Black
1650mm: MDCAB160M
1830mm: MDCAB180M
2130mm: MDCAB210M



Walnut
1650mm: MDCAB160WN
1830mm: MDCAB180WN
2130mm: MDCAB210WN



Brushed Nickel**
1650mm: MDCAB160B
1830mm: MDCAB180B
2130mm: MDCAB210B

LIGHT KIT




Matt White
MDCALKITW



Matt Black
MDCALKITM



Brushed Nickel
MDCALKITB



Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart


works with alexa

works with Google Home

FAN SPECIFICATIONS

POWER WATTAGE	55W		
BLADE DIAMETER	1650mm (65")	1830mm (72")	2130mm (84")
AIR MOVEMENT m³/hr			
SPEED 6 (HIGHEST)	15,600m³/hr	17,650m³/hr	20,200m³/hr
SPEED 5	14,317m³/hr	15,800m³/hr	16,400m³/hr
SPEED 4	12,060m³/hr	12,300m³/hr	13,880m³/hr
SPEED 3	8,360m³/hr	9,600m³/hr	9,980m³/hr
SPEED 2	6,030m³/hr	6,500m³/hr	6,330m³/hr
SPEED 1 (LOWEST)	3,695m³/hr	3,730m³/hr	3,790m³/hr
BLADE PITCH	10°		

DIMENSIONS



LED LIGHT SPECIFICATIONS

LIGHTING WATTAGE / TYPE	32W LED
COLOUR TEMPERATURE	3000K, 4200K, 6500K
LUMEN OUTPUT	Up to 3300lm
RATED LIFETIME	30,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.
**Brushed Nickel colour with Brushed Aluminium finish
*Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

AVOCA DC

- 6 Year Warranty*
- 45W DC Motor
- WiFi Connectivity
- Steel Body & Canopy
- ABS Blades
- Indoor & Covered Outdoor Use†
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 20W LED Variable Dimming



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Max Airflow up to **10,530m³/hr**

FAN ONLY



Matt White
1220mm: MADC123WWR
1320mm: MADC133WWR



Matt Black
1220mm: MADC123MMR
1320mm: MADC133MMR



Matt White / Oak
1220mm: MADC123WOR
1320mm: MADC133WOR

FAN LED LIGHT




Matt White
1220mm: MADC1233WWR
1320mm: MADC1333WWR



Matt Black
1220mm: MADC1233MMR
1320mm: MADC1333MMR



Matt White / Oak
1220mm: MADC1233WOR
1320mm: MADC1333WOR




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS		
POWER WATTAGE	45W	
BLADE DIAMETER	1220mm (48")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	10,530m³/hr	
SPEED 5	9,500m³/hr	
SPEED 4	8,100m³/hr	
SPEED 3	7,050m³/hr	
SPEED 2	4,800m³/hr	
SPEED 1 (LOWEST)	2,800m³/hr	
BLADE PITCH	10°	

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	20W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 2500lm
RATED LIFETIME	50,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

†Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

CATALINA DC

- 6 Year Warranty*
- 9W DC Motor
- WiFi Connectivity
- Australian Design Registered
- Double Insulated
- Indoor Use Only
- Summer/Winter Reverse Function
- ABS Body & Blades
- 6 Colour CCT
- 8 Speed Remote & Timer
- 20W LED Variable Dimming



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Max Airflow up to **5,500m³/hr**

Bedroom Fan **Flat Ceilings Only**


FAN LED LIGHT



Matt White
MCDC500W



Matt Black
MCDC500M




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	9W
BLADE DIAMETER	500mm (21")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	5,500m³/hr
SPEED 5	4,800m³/hr
SPEED 4	4,000m³/hr
SPEED 3	3,250m³/hr
SPEED 2	2,550m³/hr
SPEED 1 (LOWEST)	1,800m³/hr
BLADE PITCH	20°

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	20W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 1800lm
RATED LIFETIME	35,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

*Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

ELITE DC

- 6 Year Warranty*
- 36W DC Motor
- WiFi Connectivity
- Steel Body & Canopy
- ABS Blades
- Indoor & Covered Outdoor Use*
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 18W LED Variable Dimming



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Max Airflow up to
1220mm: **13,900m³/hr**
1320mm: **15,060m³/hr**

FAN ONLY



Matt White
1220mm: MEDC123W
1320mm: MEDC133W



Matt Black
1220mm: MEDC123M
1320mm: MEDC133M



Matt Black / Walnut
1220mm: MEDC123MW
1320mm: MEDC133MW

FAN LED LIGHT




Matt White
1220mm: MEDC1233W
1320mm: MEDC1333W



Matt Black / Walnut
1220mm: MEDC1233M
1320mm: MEDC1333M



Matt Black / Walnut
1220mm: MEDC1233MW
1320mm: MEDC1333MW




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS		
POWER WATTAGE	36W	
BLADE DIAMETER	1220mm (48")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	13,900m³/hr	15,060m³/hr
SPEED 5	11,200m³/hr	12,618m³/hr
SPEED 4	9,120m³/hr	9,820m³/hr
SPEED 3	7,750m³/hr	8,060m³/hr
SPEED 2	6,290m³/hr	6,820m³/hr
SPEED 1 (LOWEST)	4,680m³/hr	5,038m³/hr
BLADE PITCH	10°	

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	18W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 1950lm
RATED LIFETIME	30,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

*Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

ESPRIT DC

- 6 Year Warranty*
- 33W DC Motor
- WiFi Connectivity
- Steel Body & Canopy
- ABS Blades
- Indoor & Covered Outdoor Use*
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 24W LED Variable Dimming



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Max Airflow up to **14,110m³/hr**

FAN ONLY



Matt White
MDCE135W



Matt Black
MDCE135M


FAN LED LIGHT



Matt White
MDCE1353W



Matt Black
MDCE1353M




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	33W
BLADE DIAMETER	1320mm (52")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	14,110m³/hr
SPEED 5	11,555m³/hr
SPEED 4	9,255m³/hr
SPEED 3	7,210m³/hr
SPEED 2	5,930m³/hr
SPEED 1 (LOWEST)	4,406m³/hr
BLADE PITCH	14°

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	24W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 2160lm
RATED LIFETIME	35,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

*Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

FANTOM DC

- 6 Year Warranty*
- 20W DC Motor
- WiFi Connectivity
- Australian Design Registered
- ABS Body
- Gentle Airflow Model
- Indoor Use Only
- 6 Colour CCT
- 9 Speed Remote & Timer
- 40W LED Variable Dimming
- Low Ceiling

FAN LED LIGHT



Supplied with
9 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control




BLADELESS

Max Airflow up to **4,500m³/hr**

Flat Ceilings Only

Matt White
MFDC480W




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	20W
BLADE DIAMETER	Bladeless
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	4,500m³/hr
SPEED 5	3,000m³/hr
SPEED 4	2,400m³/hr
SPEED 3	1,700m³/hr
SPEED 2	1,500m³/hr
SPEED 1 (LOWEST)	1,100m³/hr
BLADE PITCH	-

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	40W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 2300lm
RATED LIFETIME	50,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

†Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

FRESNO DC

- 6 Year Warranty*
- 33W DC Motor
- WiFi Connectivity
- Steel Body
- ABS Blades
- Indoor & Covered Outdoor Use*
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 16W LED Variable Dimming
- Low Ceiling



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Max Airflow up to 14,700m³/hr

Flat Ceilings Only

FAN ONLY



Matt White
MFDC133W



Matt Black
MFDC133M



Matt Black / Walnut
MFDC133MW

NEW



Matt White / Oak
MFDC133WO

FAN LED LIGHT



Matt White
MFDC1333W



Matt Black / Walnut
MFDC1333M




Matt White / Oak
MFDC1333MW

NEW



Matt White / Oak
MFDC1333WO




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	33W
BLADE DIAMETER	1320mm (52")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	14,700m³/hr
SPEED 5	12,170m³/hr
SPEED 4	10,170m³/hr
SPEED 3	7,830m³/hr
SPEED 2	4,890m³/hr
SPEED 1 (LOWEST)	2,500m³/hr
BLADE PITCH	15°

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	16W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 1415lm
RATED LIFETIME	35,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

†Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

HAMPTON DC

- 6 Year Warranty*
- 40W DC Motor
- WiFi Connectivity
- Steel Body & Canopy
- ABS Blades
- Indoor & Covered Outdoor Use'
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 18W LED Variable Dimming
- Supplied with 2 downrods

Supplied with **2 Downrods** (125mm and 250mm)

Max Airflow up to **15,600m³/hr**



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

FAN ONLY



Matt White
MHDC134W



Matt Black
MHDC134M



Matt White / Oak
MHDC134WO

FAN LED LIGHT




Matt White
MHDC1343W



Matt Black
MHDC1343M



Matt White / Oak
MHDC1343WO




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	40W
BLADE DIAMETER	1320mm (52")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	15,600m³/hr
SPEED 5	12,700m³/hr
SPEED 4	9,260m³/hr
SPEED 3	7,900m³/hr
SPEED 2	6,440m³/hr
SPEED 1 (LOWEST)	4,860m³/hr
BLADE PITCH	14°

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	18W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 1950lm
RATED LIFETIME	30,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

'Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

IMPACT DC

- 6 Year Warranty*
- 33W DC Motor
- WiFi Connectivity
- Steel Body & Canopy
- ABS Blades
- Indoor & Covered Outdoor Use†
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 24W LED Variable Dimming



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Max Airflow up to **12,300m³/hr**

FAN ONLY



Matt White
MIDC133W



Matt Black
MIDC133M



Matt Black / Walnut
MIDC133MWN

FAN LED LIGHT




Matt White
MIDC1333W



Matt Black
MIDC1333M



Matt Black / Walnut
MIDC1333MWN




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	33W
BLADE DIAMETER	1320mm (52")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	12,300m³/hr
SPEED 5	11,180m³/hr
SPEED 4	9,085m³/hr
SPEED 3	7,259m³/hr
SPEED 2	6,199m³/hr
SPEED 1 (LOWEST)	5,377m³/hr
BLADE PITCH	15°

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	24W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 2160lm
RATED LIFETIME	35,000 hrs @ Ta25°C

**6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.*

†Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

KINGSTON DC

- 6 Year Warranty*
- 32W DC Motor
- WiFi Connectivity
- Steel Body & Canopy
- ABS Blades
- Indoor & Covered Outdoor Use'
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 20W LED Variable Dimming



Max Airflow up to **9,200m³/hr**



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

FAN ONLY



Matt White / White Wash
MKDC124W



Old Bronze / Walnut
MKDC124OB


FAN LED LIGHT



Matt White / White Wash
MKDC1243W



Old Bronze / Walnut
MKDC1243OB



Control your Smart DC Fans with Martec Smart App, Alexa or Google Home


MARTEC smart

works with alexa

works with Google Home

FAN SPECIFICATIONS	
POWER WATTAGE	32W
BLADE DIAMETER	1265mm (50")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	9,200m³/hr
SPEED 5	8,082m³/hr
SPEED 4	6,701m³/hr
SPEED 3	5,927m³/hr
SPEED 2	5,032m³/hr
SPEED 1 (LOWEST)	3,545m³/hr
BLADE PITCH	12°

DIMENSIONS



LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	20W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 2420lm
RATED LIFETIME	35,000 hrs @ Ta25°C

**6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.*

'Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

METRO DC

- 6 Year Warranty*
- 33W DC Motor
- WiFi Connectivity
- Steel Body
- ABS Blades
- Indoor & Covered Outdoor Use*
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 16W LED Variable Dimming
- Low Ceiling



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Max Airflow up to 14,200m³/hr

Flat Ceilings Only

FAN ONLY



Matt White
MDCM133W



Matt Black
MDCM133M



Matt White / Oak
MDCM133WO

FAN LED LIGHT




Matt White
MDCM1333W



Matt Black
MDCM1333M



Matt White / Oak
MDCM1333WO



Control your Smart DC Fans with Martec Smart App, Alexa or Google Home


MARTEC smart

works with alexa

works with Google Home

FAN SPECIFICATIONS	
POWER WATTAGE	33W
BLADE DIAMETER	1320mm (52")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	14,200m³/hr
SPEED 5	11,270m³/hr
SPEED 4	9,412m³/hr
SPEED 3	7,253m³/hr
SPEED 2	4,526m³/hr
SPEED 1 (LOWEST)	2,500m³/hr
BLADE PITCH	12°

DIMENSIONS



LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	16W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 1885lm
RATED LIFETIME	35,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

'Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

NEWPORT DC

- 6 Year Warranty*
- 39W DC Motor
- WiFi Connectivity
- Australian Design Registered
- ABS Blades
- Indoor & Covered Outdoor Use†
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 20W LED Variable Dimming



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Max Airflow up to **13,866m³/hr**

FAN ONLY



Matt White
MDCN143W



Matt Black
MDCN143M



Old Bronze / Walnut
MDCN143OWN



Matt White / Oak
MDCN143WO

FAN LED LIGHT



Matt White
MDCN1433W




Matt Black
MDCN1433M



Old Bronze / Walnut
MDCN1433OWN



Matt White / Oak
MDCN1433WO




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	39W
BLADE DIAMETER	1420mm (56")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	13,866m³/hr
SPEED 5	12,665m³/hr
SPEED 4	10,955m³/hr
SPEED 3	9,190m³/hr
SPEED 2	7,994m³/hr
SPEED 1 (LOWEST)	5,700m³/hr
BLADE PITCH	12°

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	20W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 2500lm
RATED LIFETIME	50,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

†Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

OSPREY DC

- 6 Year Warranty*
- 55W DC Motor
- WiFi Connectivity
- ABS Body & Blades
- Supplied with 2 downrods
- Indoor & Covered Outdoor Use*
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 24W LED Variable Dimming



Motor, light kit and blades sold seperately

Supplied with **2 Downrods** (152mm and 254mm)

Max Airflow up to **19,000m³/hr**



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

MOTOR ONLY



Matt White
MODCW



Matt Black
MODCM

MOTOR WITH LIGHT KIT



Matt White
MODC3W



Matt Black
MODC3M


BLADES



Matt White
2050mm: MODC200W
1830mm: MODC180W



Matt Black
2050mm: MODC200M
1830mm: MODC180M



Control your Smart DC Fans with Martec Smart App, Alexa or Google Home


MARTEC smart

works with alexa

works with Google Home

FAN SPECIFICATIONS		
POWER WATTAGE	55W	
BLADE DIAMETER	1830mm (72")	2050mm (80")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	18,000m³/hr	19,000m³/hr
SPEED 5	15,972m³/hr	16,454m³/hr
SPEED 4	13,044m³/hr	13,592m³/hr
SPEED 3	10,488m³/hr	10,521m³/hr
SPEED 2	7,562m³/hr	7,592m³/hr
SPEED 1 (LOWEST)	5,461m³/hr	5,526m³/hr
BLADE PITCH	11°	

DIMENSIONS



LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	24W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 2160lm
RATED LIFETIME	30,000 hrs @ Ta25°C

**6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.*

**Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.*

SEAFORTH DC

- 6 Year Warranty*
- 35W DC Motor
- WiFi Connectivity
- Australian Design Registered
- ABS Blades
- Indoor & Covered Outdoor Use†
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 16W LED Variable Dimming



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Max Airflow up to
1320mm: **13,140m³/hr**
1420mm: **13,830m³/hr**

FAN ONLY



Matt White
1320mm: MDCS133W
1420mm: MDCS143W



Matt Black
1320mm: MDCS133M
1420mm: MDCS143M



Matt Black / Teak
1320mm: MDCS133MT
1420mm: MDCS143MT

FAN LED LIGHT




Matt White
1320mm: MDCS1333W
1420mm: MDCS1433W



Matt Black
1320mm: MDCS1333M
1420mm: MDCS1433M



Matt Black / Teak
1320mm: MDCS1333MT
1420mm: MDCS1433MT




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS		
POWER WATTAGE	35W	
BLADE DIAMETER	1320mm (52")	1420mm (56")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	13,140m³/hr	13,830m³/hr
SPEED 5	12,110m³/hr	12,224m³/hr
SPEED 4	10,715m³/hr	10,805m³/hr
SPEED 3	8,762m³/hr	8,894m³/hr
SPEED 2	6,532m³/hr	6,609m³/hr
SPEED 1 (LOWEST)	3,805m³/hr	4,035m³/hr
BLADE PITCH	16°	

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	16W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 1415lm
RATED LIFETIME	35,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

†Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

TRIUMPH DC

- 6 Year Warranty*
- 28W DC Motor
- WiFi Connectivity
- Steel Body & Canopy
- ABS Blades
- Indoor & Covered Outdoor Use*
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 20W LED Variable Dimming



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Max Airflow up to **10,076m³/hr**

FAN ONLY



Matt White
MDCT133W



Matt Black
MDCT133M



Antique Bronze / Walnut
MDCT133AWN

FAN LED LIGHT




Matt White
MDCT1333W



Matt Black
MDCT1333M



Antique Bronze / Walnut
MDCT1333AWN




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	28W
BLADE DIAMETER	1320mm (52")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	10,076m³/hr
SPEED 5	8,956m³/hr
SPEED 4	8,267m³/hr
SPEED 3	7,597m³/hr
SPEED 2	6,126m³/hr
SPEED 1 (LOWEST)	4,800m³/hr
BLADE PITCH	12°

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	20W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 2500lm
RATED LIFETIME	50,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

*Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

VIPER DC 3

- 6 Year Warranty*
- 33W DC Motor (1220mm)
- 36W DC Motor (1320mm)
- WiFi Connectivity
- ABS Body & Blades
- Indoor & Covered Outdoor Use†
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 18W LED Variable Dimming
- Tropical Rated



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Max Airflow up to **17,640m³/hr**

FAN ONLY



Matt White
1220mm: MVDC123W
1320mm: MVDC133W



Matt Black
1220mm: MVDC123M
1320mm: MVDC133M


FAN LED LIGHT



Matt White
1220mm: MVDC1233W
1320mm: MVDC1333W



Matt Black
1220mm: MVDC1233M
1320mm: MVDC1333M




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS		
POWER WATTAGE	33W	36W
BLADE DIAMETER	1220mm (48")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	17,640m³/hr	
SPEED 5	14,200m³/hr	
SPEED 4	13,600m³/hr	
SPEED 3	12,800m³/hr	
SPEED 2	11,400m³/hr	
SPEED 1 (LOWEST)	8,500m³/hr	
BLADE PITCH	14°	

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	18W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 2120lm
RATED LIFETIME	35,000 hrs @ Ta25°C

**6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.*

†Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

VIPER DC 4

- 6 Year Warranty*
- 33W DC Motor (1220mm)
- 36W DC Motor (1320mm)
- WiFi Connectivity
- ABS Body & Blades
- Indoor & Covered Outdoor Use†
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 18W LED Variable Dimming
- Tropical Rated



Max Airflow up to 17,640m³/hr



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

FAN ONLY



Matt White
MVDC124W - 1220mm (48")
MVDC134W - 1320mm (52")



Matt Black
MVDC124M - 1220mm (48")
MVDC134M - 1320mm (52")


FAN LED LIGHT



Matt White
MVDC1243W - 1220mm (48")
MVDC1343W - 1320mm (52")



Matt Black
MVDC1243M - 1220mm (48")
MVDC1343M - 1320mm (52")




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS		
POWER WATTAGE	33W	36W
BLADE DIAMETER	1220mm (48")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	17,640m³/hr	
SPEED 5	14,200m³/hr	
SPEED 4	13,600m³/hr	
SPEED 3	12,800m³/hr	
SPEED 2	11,400m³/hr	
SPEED 1 (LOWEST)	8,500m³/hr	
BLADE PITCH	14°	

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	18W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 2120lm
RATED LIFETIME	35,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

†Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

BRAVO DC

NEW PRODUCT

- 6 Year Warranty*
- 34W DC Motor
- WiFi Connectivity
- Steel Body
- ABS Blades
- Australian Design Registered
- Indoor & Covered Outdoor Use†
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 16W LED Variable Dimming
- Low Ceiling



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Max Airflow up to **14,200m³/hr**

Flat Ceilings Only

FAN ONLY



Matt White
MBDC133W



Matt Black / Walnut
MBDC133MWN



Matt White / Oak
MBDC133WO

FAN LED LIGHT




Matt White
MBDC1333W



Matt Black / Walnut
MBDC1333MWN



Matt White / Oak
MBDC1333WO




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	34W
BLADE DIAMETER	1320mm (52")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	14,700m³/hr
SPEED 5	12,170m³/hr
SPEED 4	10,170m³/hr
SPEED 3	7,830m³/hr
SPEED 2	4,890m³/hr
SPEED 1 (LOWEST)	2,500m³/hr
BLADE PITCH	13°

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	16W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 1415lm
RATED LIFETIME	35,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

†Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

COLLAROY DC

NEW PRODUCT

- 6 Year Warranty*
- 33W DC Motor
- WiFi Connectivity
- Steel Body
- ABS Blades
- Australian Design Registered
- Indoor & Covered Outdoor Use†
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 16W LED Variable Dimming
- Low Ceiling



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Max Airflow up to **13,140m³/hr**

Flat Ceilings Only

FAN ONLY



Matt White
MDCC133W



Matt White / Oak
MDCC133WO



Matt Black / Teak
MDCC133MT

FAN LED LIGHT




Matt White
MDCC1333W



Matt White / Oak
MDCC1333WO



Matt Black / Teak
MDCC1333MT




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	33W
BLADE DIAMETER	1320mm (52")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	13,140m³/hr
SPEED 5	12,110m³/hr
SPEED 4	10,715m³/hr
SPEED 3	8,762m³/hr
SPEED 2	6,532m³/hr
SPEED 1 (LOWEST)	3,805m³/hr
BLADE PITCH	16°

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	16W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 1415lm
RATED LIFETIME	35,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

†Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

OUTLANDER DC IP66

NEW PRODUCT

- 6 Year Warranty*
- 40W DC Motor
- WiFi Connectivity
- ABS Body & Blades
- IP66 Ingress Protection
- Indoor & Covered Outdoor Use†
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 24W LED Variable Dimming
- Tropical Rated



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Max Airflow up to **15,300m³/hr**

FAN ONLY



Matt White
MDCO143W



Matt Black
MDCO143M


FAN LED LIGHT



Matt White
MDCO1433W



Matt Black
MDCO1433M




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	40W
BLADE DIAMETER	1420mm (56")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	15,300m³/hr
SPEED 5	12,700m³/hr
SPEED 4	9,260m³/hr
SPEED 3	7,900m³/hr
SPEED 2	6,440m³/hr
SPEED 1 (LOWEST)	4,860m³/hr
BLADE PITCH	10°

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	24W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 2300lm
RATED LIFETIME	35,000 hrs @ Ta25°C

**6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.*

†Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

WRAPSTER DC

NEW PRODUCT

- 6 Year Warranty*
- 30W DC Motor
- WiFi Connectivity
- Steel Body
- ABS Blades
- Retractable Blades
- Indoor & Covered Outdoor Use†
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 40W LED Variable Dimming
- Low Ceiling



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control



Retractable Blades

Max Airflow up to 7,130m³/hr

Flat Ceilings Only


FAN LED LIGHT



Matt White
MDCWS1233W



Matt White / Oak
MDCWS1233WO




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	30W
BLADE DIAMETER	1066mm (42")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	7,130m³/hr
SPEED 5	6,210m³/hr
SPEED 4	5,121m³/hr
SPEED 3	4,170m³/hr
SPEED 2	2,548m³/hr
SPEED 1 (LOWEST)	1,836m³/hr
BLADE PITCH	15°

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	40W LED
COLOUR TEMPERATURE	3000K / 4500K / 6500K
LUMEN OUTPUT	3360lm / 3520lm / 3760lm
RATED LIFETIME	30,000 hrs @ Ta25°C

**6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.*

†Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

WRAPX DC

NEW PRODUCT

- 6 Year Warranty*
- 30W DC Motor
- WiFi Connectivity
- Steel Body & Canopy
- ABS Blades
- Indoor & Covered Outdoor Use†
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 40W LED Variable Dimming
- Retractable Blades

FAN LED LIGHT




Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control

Retractable Blades

Max Airflow up to **8,340m³/hr**

Matt White
MDCWX1233W




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	30W
BLADE DIAMETER	1220mm (48")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	8,340m³/hr
SPEED 5	7,740m³/hr
SPEED 4	6,598m³/hr
SPEED 3	5,566m³/hr
SPEED 2	4,952m³/hr
SPEED 1 (LOWEST)	3,840m³/hr
BLADE PITCH	19°

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	40W LED
COLOUR TEMPERATURE	3000K - 6000K
LUMEN OUTPUT	Up to 2000lm
RATED LIFETIME	35,000 hrs @ Ta25°C

**6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.*

†Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

WRAPTEC DC

NEW PRODUCT

- 6 Year Warranty*
- 32W DC Motor
- WiFi Connectivity
- Steel Body & Canopy
- ABS Blades
- Indoor & Covered Outdoor Use†
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 40W LED Variable Dimming
- Retractable Blades

FAN LED LIGHT



Supplied with
8 speed remote which can be used in conjunction with Martec Smart App and optional DC wall control






Retractable Blades

Max Airflow up to **9,513m³/hr**

Matt White
1066mm: MDCWT1033W
1220mm: MDCWT1233W




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home

DIMENSIONS



FAN SPECIFICATIONS		
POWER WATTAGE	32W	
BLADE DIAMETER	1066mm (42")	1220mm (48")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	8,530m³/hr	9,513m³/hr
SPEED 5	7,633m³/hr	8,154m³/hr
SPEED 4	6,621m³/hr	6,598m³/hr
SPEED 3	5,556m³/hr	4,952m³/hr
SPEED 2	4,538m³/hr	3,840m³/hr
SPEED 1 (LOWEST)	2,816m³/hr	2,370m³/hr
BLADE PITCH	12°	

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	40W LED
COLOUR TEMPERATURE	3000K / 4500K / 6500K
LUMEN OUTPUT	3560lm / 3750lm / 4020lm
RATED LIFETIME	30,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

†Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

MARTEC® Cooling

DC Ceiling Fans

DC ceiling fans offer high efficiency, quiet operation, and lightweight design, making them a smart choice for modern homes. DC motors consume less energy than conventional ceiling fan motors, helping to reduce power usage.

They also weigh less, making installation easier for electricians. With up to 8 speed settings and a user-friendly reversing function for summer and winter use, these fans provide versatile comfort. Ideal for bedrooms due to their quiet performance, DC ceiling fans come supplied with a remote or wall control for easy and convenient operation.



QUANTUM DC

- 2 Year In-Home Warranty
- 36W DC Motor
- ABS Body & Blades
- Quick Install in 5 min
- Indoor & Covered Outdoor Use*
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 24W LED Variable Dimming



Supplied with
8 speed Remote Control, Light (light models only) and Timer

FAN ONLY



Matt White
1220mm: MQDC124WR
1320mm: MQDC134WR
1420mm: MQDC144WR



Matt Black
1320mm: MQDC134MR

FAN LED LIGHT




Matt White
1220mm: MQDC1343WR
1320mm: MQDC1343WR
1420mm: MQDC1443WR




Matt Black
1320mm: MQDC1343MR

PATENTED FAST FIX BLADES

1 Insert




2 Clip In




3 Secure

Quick Installation Less Than 5 mins



FAN SPECIFICATIONS			
POWER WATTAGE	36W		
BLADE DIAMETER	1220mm (48")	1320mm (52")	1420mm (56")
AIR MOVEMENT m³/hr			
SPEED 6 (HIGHEST)	12,000m³/hr		
SPEED 5	10,368m³/hr		
SPEED 4	9,380m³/hr		
SPEED 3	7,899m³/hr		
SPEED 2	5,925m³/hr		
SPEED 1 (LOWEST)	3,455m³/hr		
BLADE PITCH	12.5°		

DIMENSIONS




LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	24W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 2500lm
RATED LIFETIME	50,000 hrs @ Ta25°C

Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

PROTON DC

- 2 Year In-Home Warranty
- 36W DC Motor
- ABS Body & Blades
- Quick Install in 5 min
- Indoor & Covered Outdoor Use*
- Summer/Winter Reverse Function
- Tricolour LED
- Wired Wall Control & Light Switch
- 24W Variable Dimming†




Max Airflow up to 12,000m³/hr


Ideal replacement for existing AC wall control fans

PATENTED FAST FIX BLADES

1 Insert




2 Clip In



3 Secure

Quick Installation Less Than 5 mins



FAN ONLY



Matt White
1220mm: MPDC124W
1320mm: MPDC134W


FAN LED LIGHT



Matt White
1220mm: MPDC1243W
1320mm: MPDC1343W

FAN SPECIFICATIONS		
POWER WATTAGE	36W	
BLADE DIAMETER	1220mm (48")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 3 (HIGHEST)	12,000m³/hr	
SPEED 2	7,899m³/hr	
SPEED 1 (LOWEST)	3,455m³/hr	
BLADE PITCH	12.5°	

DIMENSIONS



LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	24W LED
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMEN OUTPUT	Up to 2500lm
RATED LIFETIME	50,000 hrs @ Ta25°C

*Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

†Dimmer sold separately

ZORRO DC

- 2 Year In-Home Warranty
- 23W DC Motor
- ABS Body & Blades
- Quick Install in 5 min
- Indoor & Covered Outdoor Use*
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 20W LED Variable Dimming




Supplied with
8 speed Remote Control, Light (light models only) and Timer


Max Airflow up to **9,000m³/hr**

PATENTED FAST FIX BLADES

1 Insert




2 Clip In



3 Secure

Quick Installation Less Than 5 mins



FAN ONLY



Matt White
MZDC123W


FAN LED LIGHT



Matt White
MZDC1233W

FAN SPECIFICATIONS	
POWER WATTAGE	23W
BLADE DIAMETER	1220mm (48")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	9,000m³/hr
SPEED 5	8,000m³/hr
SPEED 4	7,300m³/hr
SPEED 3	6,100m³/hr
SPEED 2	5,000m³/hr
SPEED 1 (LOWEST)	4,300m³/hr
BLADE PITCH	12°

DIMENSIONS



LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	20W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 2200lm
RATED LIFETIME	20,000 hrs @ Ta25°C

**Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.*

LEGEND DC

- 2 Year In-Home Warranty
- 23W DC Motor
- ABS Body & Blades
- Quick Install in 5 min
- Indoor & Covered Outdoor Use*
- Summer/Winter Reverse Function
- Tricolour LED
- Wired Wall Control & Light Switch
- 20W Variable Dimming†

Supplied with
Rotary fan control and switch.
Wall plate not included.




Max Airflow up to 12,000m³/hr


Ideal replacement for existing AC wall control fans

PATENTED FAST FIX BLADES

1 Insert




2 Clip In



3 Secure

Quick Installation Less Than 5 mins



FAN ONLY



Matt White
MZDC123W


FAN LED LIGHT



Matt White
MZDC1233W

FAN SPECIFICATIONS	
POWER WATTAGE	23W
BLADE DIAMETER	1220mm (48")
AIR MOVEMENT m³/hr	
SPEED 3 (HIGHEST)	9,000m³/hr
SPEED 2	6,100m³/hr
SPEED 1 (LOWEST)	4,300m³/hr
BLADE PITCH	12°

DIMENSIONS



LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	20W LED
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMEN OUTPUT	Up to 2200lm
RATED LIFETIME	20,000 hrs @ Ta25°C

*Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

†Dimmer sold separately

SUMMIT DC IP 66

NEW PRODUCT

- 2 Year Replacement Warranty
- 25W DC Motor
- ABS Blades
- IP65 Ingress Protection
- DIY Friendly Installation
- Indoor & Covered Outdoor Use*
- Summer/Winter Reverse Function
- 6 Colour CCT
- 8 Speed Remote & Timer
- 18W LED Variable Dimming



Flex & Plug Included

Max Airflow up to **5,100m³/hr**

Flexible DIY Installation and Mounting


Matt Black
MSDC500M

FAN LED LIGHT



Supplied with
8 speed Remote Control, Light and Timer

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	25W
BLADE DIAMETER	500mm (14")
AIR MOVEMENT m³/hr	
SPEED 6 (HIGHEST)	5,100m³/hr
SPEED 5	4,152m³/hr
SPEED 4	3,325m³/hr
SPEED 3	2,780m³/hr
SPEED 2	1,540m³/hr
SPEED 1 (LOWEST)	915m³/hr
BLADE PITCH	21°

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	18W LED
COLOUR TEMPERATURE	2700K - 6000K
LUMEN OUTPUT	Up to 1620lm
RATED LIFETIME	35,000 hrs @ Ta25°C

'Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

MARTEC® Cooling



DC & AC Wall Fans

Featuring powerful and efficient DC and AC motors, sleek modern design for indoor use, and robust ABS blades with a steel mounting bracket. They offer multiple speed settings with oscillation for improved air circulation, manual vertical tilt adjustment, and come supplied with a remote control.

AVALON DC

- 2 Year Replacement Warranty
- 70W DC Motor
- WiFi Connectivity
- ABS Body & Blades
- DIY Friendly Installation
- Indoor Use Only
- Touch Panel with 12 hour timer
- 10 Speed Remote
- Temperature Display



- Max Airflow up to **5,200m³/hr**
- Breeze distance up to **20m**
- **Easy DIY Installation and Mounting**




Supplied with
WiFi Remote Control and Timer



Flex & Plug Included

Matt Black
MWFA350M




Control your Smart DC Fans with Martec Smart App, Alexa or Google Home

MARTEC smart

works with alexa

works with Google Home






Supplied with
WiFi Remote Control and Timer




Flex & Plug Included

Matt White
MWFA350W

DIMENSIONS





FAN SPECIFICATIONS	
POWER WATTAGE	70W
BLADE DIAMETER	355mm (14")
AIR MOVEMENT M³/HR	
SPEED 10 (HIGHEST)	5,200m³/hr
SPEED 9	4,788m³/hr
SPEED 8	4,388m³/hr
SPEED 7	3,629m³/hr
SPEED 6	3,211m³/hr
SPEED 5	2,861m³/hr
SPEED 4	2,210m³/hr
SPEED 3	1,860m³/hr
SPEED 2	1,309m³/hr
SPEED 1 (LOWEST)	1,158m³/hr
BLADE PITCH	30°
LEFT-RIGHT OSCILLATION	60°
UP-DOWN	40°

COMO

- 2 Year Replacement Warranty
- 55W AC Motor
- Steel Body & Mount
- Indoor Use Only
- Push button with 6 hour timer
- ABS Body & Blades
- DIY Friendly Installation

Max Airflow up to 4,000m³/hr

Easy DIY Installation and Mounting





Supplied with Remote Control and Timer



Flex & Plug Included

Matt White
MWFC400W






Supplied with Remote Control and Timer



Flex & Plug Included

Matt Black
MWFC400M

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	55W
BLADE DIAMETER	400mm (16")
AIR MOVEMENT m³/hr	
SPEED 3 (HIGHEST)	4,000m³/hr
SPEED 2	3,523m³/hr
SPEED 1 (LOWEST)	3,067m³/hr
LEFT-RIGHT OSCILLATION	70°
UP-DOWN	30°



MARTEC® Cooling

AC Ceiling Fans

AC motor ceiling fans are a cost-effective and reliable cooling solution, offering a wide range of styles and control options to suit any space.

They can be operated using various controller types—from simple wall switches to remote controls—giving users greater flexibility. With their long-standing presence in the market, AC ceiling fans come in a variety of designs to match both style preferences and budgets.

DISCOVERY II

- 6 Year Warranty*
- 65W AC Motor
- ABS Body & Blades
- Indoor & Covered Outdoor Use*
- Summer/Winter Reverse Function
- Switchable Tricolour LED
- 15W LED 3 Step Dimming



Max Airflow up to
1220mm: **11,835m³/hr**
1320mm: **13,450m³/hr**



Supplied with
Wall fan control light switch and wall plate

FAN ONLY




Matt White
1220mm: MDF124W
1320mm: MDF134W

FAN LED LIGHT



Matt White
1220mm: MDF1243W
1320mm: MDF1343W

DIMENSIONS



FAN SPECIFICATIONS		
POWER WATTAGE	65W	
BLADE DIAMETER	1220mm (48")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 3 (HIGHEST)	11,835m³/hr	13,450m³/hr
SPEED 2	9,580m³/hr	10,200m³/hr
SPEED 1 (LOWEST)	6,450m³/hr	7,100m³/hr
BLADE PITCH	13°	

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	15W LED
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMEN OUTPUT	Up to 1745lm
RATED LIFETIME	35,000 hrs @ Ta25°C

**6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.*
**Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.*

LINK

- 6 Year Warranty*
- 55W AC Motor
- Steel Body & Canopy
- Indoor Use Only
- Summer/Winter Reverse Function
- E27 Bulb Compatible (E27 Model Only)
- Plywood Blades



Max Airflow up to **7,600m³/hr**



Supplied with
Wall fan control light switch and wall plate

FAN ONLY



Matt White
FSL124W



Matt Black
FSL124M

FAN E27 LIGHT**




Matt White
FSL1244W
FSL1244WR***



Matt Black
FSL1244M

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	55W
BLADE DIAMETER	1220mm (48")
AIR MOVEMENT m³/hr	
SPEED 3 (HIGHEST)	7,600m³/hr
SPEED 2	5,020m³/hr
SPEED 1 (LOWEST)	3,670m³/hr
BLADE PITCH	11°

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.
**Supplied with 2x E27 lamp holders. Globe not included.
***Supplied with remote control

LIFESTYLE

- 6 Year Warranty*
- 60W AC Motor
- Aluminium Body & Canopy
- Plywood Blades
- Indoor Use Only
- Summer/Winter Reverse Function
- Switchable Tricolour LED (LED Model Only)
- 24W LED 3 Step Dimming (LED Model Only)
- E27 Bulb Compatible (E27 Model Only)



Max Airflow up to **9,600m³/hr**



Supplied with
Wall fan control light switch and wall plate

FAN ONLY



Matt White
DLS134W



Matt Black
DLS134M



Brushed Aluminium
DLS134B

FAN LED LIGHT



Matt White
DLS1343W



Brushed Aluminium
DLS1343B

FAN E27 LIGHT**



Matt White
DLS1344W




Matt Black
DLS1344M



Brushed Aluminium
DLS1344B

DIMENSIONS



FAN SPECIFICATIONS	
POWER WATTAGE	60W
BLADE DIAMETER	1320mm (52")
AIR MOVEMENT m³/hr	
SPEED 3 (HIGHEST)	9,600m³/hr
SPEED 2	7,600m³/hr
SPEED 1 (LOWEST)	5,600m³/hr
BLADE PITCH	12.5°

LED LIGHT SPECIFICATIONS	
LIGHTING WATTAGE / TYPE	24W LED
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMEN OUTPUT	Up to 2560lm
RATED LIFETIME	35,000 hrs @ Ta25°C

*6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.
**Supplied with 2x E27 lamp holders. Globe not included.
***Supplied with remote control

PRECISION

- 6 Year Warranty*
- 75W AC Motor
- Tropical Rated
- Indoor & Covered Outdoor Use'
- Summer/Winter Reverse Function
- Coastal Rated
- 316 Stainless Steel Body, Canopy & Blades

FAN ONLY




Max Airflow up to
1220mm: **16,380m³/hr**
1320mm: **18,960m³/hr**
1420mm: **21,000m³/hr**



Supplied with
Wall fan control light switch and wall plate

316 Stainless Steel
1220mm: MPF3162SS
1320mm: MPF3163SS
1420mm: MPF3164SS

DIMENSIONS



FAN SPECIFICATIONS			
POWER WATTAGE	75W		
BLADE DIAMETER	1220mm (48")	1320mm (52")	1420mm (56")
AIR MOVEMENT m³/hr			
SPEED 3 (HIGHEST)	16,380m³/hr	18,960m³/hr	21,000m³/hr
SPEED 2	11,980m³/hr	13,050m³/hr	14,300m³/hr
SPEED 1 (LOWEST)	8,450m³/hr	9,520m³/hr	9,380m³/hr
BLADE PITCH	23°		

'6 Years Warranty = 3 Year In-Home Warranty + additional 3 Year Replacement on the motor only.

'Outdoor covered area is defined as having at least three enclosed sides, and the centre of the product must be installed with a minimum 4M setback from the open side.

MARTEC® Cooling

Ceiling Fan Accessories

Remote Control / Wall Control

Remote and wall controls offer convenient operation of ceiling fans, allowing you to adjust speed, direction, and lighting with ease. Enjoy personalised comfort and effortless control from anywhere in the room.

Downrod

Downrods enhance ceiling fan performance and airflow efficiency in rooms with high ceilings. They lower the fan to an optimal height, ensuring better air circulation, comfort, and energy-efficient operation.

45° Angle Canopy

An angled canopy allows secure installation on sloped or vaulted ceilings. It ensures proper alignment, enhances stability, and maintains optimal fan performance while complementing ceiling aesthetics.



REMOTE / WALL CONTROL



WALL CONTROL KIT
MDCPWC

- 1 year in-home warranty
- Suitable for all Martec DC WIFI, Quantum DC & Zorro DC ceiling fans
- App, Remote and Wall control are synchronised through the last command
- Unique comfort sleep and breeze mode + 6 other speed settings
- Fully reversible for summer and winter mode
- Light on/off, with variable 6 stage dimming function
- 1-8 hour timer
- Radio frequency with range up to 10m
- 240 VAC powered



PREMIER REMOTE CONTROL KIT
MPREMS

- 1 year in-home warranty
- Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- Light on/off function
- 2, 4 and 8 hour timer
- 4 dip switches make 16 possible control channels
- Radio frequency with range up to 10m
- Supplied with 2x AAA batteries

DOWNRODS



DC DOWNROD	ORDERING CODE	COMPATIBLE MODELS
900mm Downrod WiFi Matt White	MDRDWIFI36W	All Smart Range
900mm Downrod WiFi Matt Black	MDRDWIFI36M	All Smart Range
900mm Downrod WiFi Antique Bronze	MDRDWIFI36AB	Triumph DC / Riviera DC
900mm Downrod WiFi Old Bronze	MDRDWIFI36OB	Kingston DC
900mm Downrod WiFi Pewter	MDRDWIFI36P	Alpine DC
900mm Downrod WiFi Nickel	MDRDWIFI36N	Albatross II DC
1800mm Downrod WiFi Matt White	MDRDWIFI72W	All Smart Range
1800mm Downrod WiFi Matt Black	MDRDWIFI72M	All Smart Range

AC DOWNROD	ORDERING CODE	COMPATIBLE MODELS
900mm Downrod White	MDRA36W	Discovery II, Link, Lifestyle
900mm Downrod Matt Black	MDRA36M	Link, Lifestyle
1800mm Downrod White	MDRA72W	Discovery II, Link, Lifestyle
1800mm Downrod Matt Black	MDRA72M	Link, Lifestyle
900mm Downrod 316 Stainless Steel	DRP36SS	Precision
1800mm Downrod 316 Stainless Steel	DRP72SS	Precision

NB: Please select the colour that matches the corresponding ceiling fan colour.


Matt White


Matt Black

45° ANGLE CANOPY

CANOPY	ORDERING CODE
45° Angle Canopy Matt White	MA45KITW
45° Angle Canopy Matt Black	MA45KITM

NB: Please select the colour that matches the corresponding ceiling fan colour.

Ceiling Fan Size Guide




Study / Small Bedroom



Office / Medium Bedroom / Small Living Room




Large Bedroom / Large Living Room / Home Theatre




Rumpus Room / Large Living Room

		ROOM SIZE / TYPE			
		Study / Small Bedroom	Office / Medium Bedroom / Small Living Room	Large Bedroom / Large Living Room / Home Theatre	Rumpus Room / Large Living Room
		Up to 12m² (3.5m x 3.5m)	Up to 18m² (4m x 4.5m)	Up to 30m² (5m x6m)	Up to 40m² (6.5m x 6m)
Ceiling Fan Size		1066mm (42")	1220mm (48")	1320mm (52")	1420mm (56")
Smart DC Ceiling Fan	Albatross II DC	Recommended for large combined living and dining areas. Alfresco and BBQ areas.			
	Alpine DC	✓	✓	✓	
	Avoca DC		✓	✓	
	Catalina DC	✓			
	Cordoba DC	✓	✓	✓	
	Elite DC	✓	✓		
	Esprit DC	✓	✓	✓	
	Fantom DC	✓	✓		
	Fresno DC		✓	✓	
	Hampton DC		✓	✓	
	Impact DC	✓	✓	✓	
	Kingston DC	✓	✓		
	Metro DC		✓	✓	
	Newport DC	✓	✓	✓	✓
	Osprey DC	Recommended for large combined living and dining areas. Alfresco and BBQ areas.			
	Seaforth DC	✓	✓	✓	✓
	Triumph DC	✓	✓	✓	
	Viper DC	✓	✓	✓	
	Bravo DC	✓	✓	✓	
	Collaroy DC	✓	✓	✓	
	Outlander DC IP66	✓	✓	✓	✓
	Wrapster DC	✓			
	WrapX DC	✓	✓		
	Wraptec DC	✓	✓		
DC Ceiling Fan	Quantum DC	✓	✓	✓	
	Proton DC	✓	✓	✓	
	Zorro DC	✓	✓	✓	
	Legend DC	✓	✓	✓	
	Summit DC IP66	✓			
AC Ceiling Fan	Discovery II	✓	✓	✓	✓
	Link	✓	✓		
	Lifestyle	✓	✓	✓	
	Precision	✓	✓	✓	✓
Wall Fans	Avalon (Wall Fan)	✓			
	Como (Wall Fan)	✓			


Application Guide




Flat Level Surface Ceiling



Slope Ceiling up to 15°†
(NB: check disclaimer below)



Corrugated Ceiling




Apex Ceiling

		ROOM SIZE / TYPE			
Ceiling Fan (DC / AC)		**Indoor Use**	**Covered Outdoor***	**Tropical Rated**	**Coastal Rated**
Smart DC Ceiling Fan	Albatross II DC	✓	✓		
	Alpine DC	✓	✓		
	Avoca DC	✓	✓		
	Catalina DC	✓	✓		
	Cordoba DC	✓	✓		
	Elite DC	✓	✓		
	Esprit DC	✓	✓		
	Fantom DC	✓	✓		
	Fresno DC	✓	✓		
	Hampton DC	✓	✓		
	Impact DC	✓	✓		
	Kingston DC	✓	✓		
	Metro DC	✓	✓		
	Newport DC	✓	✓		
	Osprey DC	✓	✓		
	Seaforth DC	✓	✓		
	Triumph DC	✓	✓		
	Viper DC	✓	✓	✓	
	Bravo DC	✓	✓		
	Collaroy DC	✓	✓		
	Outlander DC IP66	✓	✓	✓	
	Wrapster DC	✓	✓		
	WrapX DC	✓	✓		
	Wraptec DC	✓	✓		
DC Ceiling Fan	Quantum DC	✓	✓	✓	
	Proton DC	✓	✓	✓	
	Zorro DC	✓	✓		
	Legend DC	✓	✓		
	Summit DC IP66	✓	✓		
AC Ceiling Fans	Discovery II	✓	✓	✓	
	Link	✓	✓		
	Lifestyle	✓	✓	✓	
	Precision	✓	✓	✓	✓
Wall Fans	Avalon (Wall Fan)	✓			
	Como (Wall Fan)	✓	✓		


† *The installation slope compatibility of each fan model may vary. Please refer to the product specifications for exact installation requirements. Improper installation on incompatible slopes may affect performance or void warranty.*

Downrod Lengths Recommendations

The ideal distance from the floor to fan blades is 2.1m to 2.7m











Warranty Guide

Warranty details may vary by ceiling fan model.
Please refer to the specific product in this catalogue or visit our website for exact information.




CEILING FANS

3 Year In-home + additional 3 Years Replacement on the motor only



DIY PRODUCTS, WALL FANS, REMOTE CONTROL & WALL CONTROLLER

2 Year Replacement



ACCESSORIES

1 Year Replacement Warranty

Disclaimer: Martec® is committed to ongoing development and enhancement of its products. Consequently, all descriptions, illustrations, drawings, and specifications presented in this publication are intended as general information and do not form part of any contractual agreement.

The figures related to air movements are indicative and should be considered as approximate values. All measurements are provided in millimeters unless stated otherwise.


Please note that specifications and imagery are subject to change without prior notice. This information was last updated in August 2026

We do more than you think

At Martec® we not only offer fans but different solutions as well.



MARTEC Heating



Martec® Heating offers a wide range of bathroom heaters and accessories to suit all bathroom sizes and needs. From single heat lamps to stylish 3-in-1 units with 1, 2, or 4 heat lamps and tricolour LED lights, our products deliver instant, effective warmth.

Select new models feature high-performance DC motors for improved energy efficiency and quieter operation. With various IPX ratings and finishes available, our heaters blend seamlessly into any décor. Whether you need basic heating or multi-functional solutions, Martec® Heating enhances comfort and style in any bathroom.



MARTEC Exhaust

Martec® Exhaust offers a flexible range of exhaust fans suited for bathrooms and various other spaces. With options in size, shape, IPX ratings, and tricolour LED lights, our fans fit seamlessly into any environment.

Featuring powerful ball bearing motors and advanced blade designs, they deliver efficient, quiet ventilation. For reliable, long-lasting performance, Martec® Exhaust ensures clean air and comfort wherever it's needed.



MARTEC Lighting



Martec® Lighting offers a wide range of LED solutions, including downlights, surface-mounted fittings, and exterior lights. Our downlights and surface fixtures feature switchable colour temperatures and dimming options, compatible with Martec® dimmers for personalized ambiance.

Our exterior lights come with various IP ratings and optional motion sensors, providing reliable safety and security for any outdoor space. Whether for small projects or large installations, Martec® delivers quality, budget-friendly lighting tailored to your needs.



MDA LIGHTING

MDA Lighting is a premium Australian-owned lighting brand celebrated for its high-class, decorative designs. With over a decade of industry experience, MDA offers an extensive range of stylish indoor and outdoor fixtures that suit both classic and contemporary spaces.


Their products are known for exceptional craftsmanship and unique, premium finishes such as acid-wash copper, silver leaf, and gilded gold. Each piece is designed to elevate interiors with timeless elegance, making MDA Lighting a go-to choice for sophisticated and statement lighting solutions.

Download our Product Catalogue

MARTEC® smart

Take full control your way, every time of your smart DC ceiling fans and exterior heaters with Martec Smart® app for convenient operation from your phone.

Martec Smart app is available for iOS and Android



GET IT ON Google Play

Download on the App Store

Notes:

MARTEC®

Life, enhanced.

6 Austool Place Ingleburn NSW 2565
(02) 8778 7500
sales@martec.com.au

Opening Hours (Mon-Fri):
Warehouse: 7:30am – 3:30pm
Office: 8:00am – 4:00pm

www.martec.com.au

Martec is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract.
Air movements figures quoted are guide only. All measurements are in millimetres unless otherwise stated.

The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of Sale a copy of which is available on request.

Amazon, Alexa and all related marks are trademarks of Amazon.com, Inc. or its affiliates.
Google and Google Home are trademarks of Google LLC.